2024 Infection Control Clinical Test

1. The rationale for The Joint Commission's National Patient Safety Goals is to enhance patient safety
T or F
2. One of the most important factors in preventing the spread of disease is handwashing.
T or F
3. The spread of MDRO's is controlled by all the following measures except:
A. Contact and Standard precautions
B. Appropriate hand hygiene
C. Disinfection of equipment
D. Never removing gloves while in an isolation room
4. How should you determine the wet time for a multi-purpose disinfectant wipe?
A. Follow the label instructions provided by the manufacturer
B. Google
C. Estimate the time
D. None of the above
5. If gloves are worn, handwashing is not necessary.
T or F
6. PPE is designed to protect the wearer's skin, eyes, mucous membranes, airways, and clothing from coming into contact with infectious agents.
T or F
7. Choose all that apply. Example of bloodborne pathogens include the following:
□ Нер В
□ Hep C
□ HIV/AIDS
8. Choose all that apply. The objective of Bloodborne Pathogen program is
$\hfill\Box$ Protect employees from health hazards associated with bloodborne pathogens.
$\hfill \square$ Provide appropriate treatment and counseling for exposures.

9. If exposed to blood or other infectious material, immediately wash with soap and water, flush

eyes with water or saline solution as appropriate, and report to Employee Health.
T or F
10. What is the best way to prevent a CAUTI?
A. Prevent inappropriate use of foleys
B. Remove a foley when it is no longer necessary
C. Perform peri care daily and prn
D. All of the above
11. How is TB potentially spread?
A. Through the air via coughing, singing, sneezing, or talking
B. Through non-healing draining wounds
C. Touching contaminated surfaces in the patient's room
D. Eating undercooked or ill prepared foods
12. The nurse ordering protocol for Cdiff is only active during the first two days of a patient's admission.
T or F
13. The biohazard symbol is a universal symbol placed on any container that may contain infectious material.
T or F
14. For symptomatic COVID testing, which isolation should you order?
A. Standard Precautions
B. Airborne Isolation
C. Droplet Isolation
D. Airborne and Contact Isolation
15. When a central line is inserted, which order set should be placed into EPIC?

A. VAP Bundle

- **B. CLABSI Bundle**
- C. CAUTI Bundle
- D. No additional ordering is necessary
- 16. Performing hand hygiene after coming into contact with body fluids is an example of gel in/gel out.

T or F